Author Index

Ahlborg, N., Berzins, K. and Perlmann, P. Definition of the epitope recognized by the *Plasmodium falciparum*-reactive human monoclonal antibody 33G2, 89

Alano, P., Premawansa, S., Bruce, M.C. and Carter, R. A stage specific gene expressed at the onset of gametocytogenesis in *Plasmod*ium falciparum. 81

Alexander, K. and Parsons, M. A phosphoglycerate kinase-like molecule localized to glycosomal microbodies: evidence that the topogenic signal is not at the C-terminus, 1

Ali, P.O., Simpson, A.J.G., Allen, R., Waters, A.P., Humphries, C.J., Johnston, D.A. and Rollinson, D. Sequence of a small subunit rRNA gene of Schistosoma mansoni and its use in phylogenetic analysis, 201

Allen, R., see Ali, P.O., 201 Allen, R., see Jeffs, S.A., 159 Anders, R.F., see Foley, M., 137 Arnold, H.-H., see Günther, K., 149

Balfe, P., see Ranford-Cartwright, L.C., 185 Baltz, T., see Ou, Y.C., 97 Bastien, P., see Blaineau, C., 293 Berzins, K., see Ahlborg, N., 89 Beverley, S.M., see Coburn, C.M., 169

Blaineau, C., Bastien, P., Rioux, J.-A., Roizès, G. and Pagès, M. Long-range restriction maps of size-variable homologous chromosomes in Leishmania infantum, 293

Bradley, J.E., Helm, R., Lahaise, M. and Maizels, R.M. cDNA clones of *Onchocerca volvulus* low molecular weight antigens provide immunologically specific diagnostic probes, 219

Bretagne, S., Robert, B., Vidaud, D., Goossens, M. and Houin, R. Structure of the *Echinococcus multilocularis* U1 snRNA gene repeat, 285

Bruce, M.C., see Alano, P., 81 Bzik, D.J., see Li, W.-B., 229

Campbell, S.R., see van Keulen, H., 275
Carter, R., see Alano, P., 81
Carter, R., see Ranford-Cartwright, L.C., 185
Chan, E., see Ruben, L., 123

Chapman, C.J., see Kelly, J.M., 253 Cheng, S.C., see Joshua, G.W.P., 209

Cheng, S.C., see Joshua, G.W.P., 209 Chuang, R.Y., see Joshua, G.W.P., 209

Clark, C.G. and Diamond, L.S. The Laredo strain and other 'Entamoeba histolytica-like' amoebae are Entamoeba moshkovskii, 11

Coburn, C.M., Otteman, K.M., McNeely, T., Turco, S.J. and Beverley, S.M. Stable DNA transfection of a wide range of trypanosomatids, 169

Conraths, F.J., Worms, M.J., Preece, G., Harnett, W. and Parkhouse, R.M.E. Studies on a 14-kilodalton surface protein of Onchocerca microfilariae, 103

Correa-Oliveira, R., see Jeffs, S.A., 159 Cross, G.A.M., see Moreno, S.N.J., 265

De Doncker, S., see Liu, J., 53
Deleerspiider W. Hendrix D.:

Deleersnijder, W., Hendrix, D. and Hamers, R. Analysis of MSA-1 diversity in *Plasmodium chabaudi chabaudi* strains (Short communication), 315

Diamond, L.S., see Clark, C.G., 11 Dujardin, J.-C., see Liu, J., 53 Erlandsen, S.L., see Van Keulen, H., 275 Evans, D.A., see Kelly, J.M., 253

Fairlamb, A.H., see Hunter, K.J., 35

Foley, M., Tilley, L., Sawyer, W.H. and Anders, R.F. The ring-infected erythrocyte surface antigen of *Plasmodium falciparum* associates with spectrin in the erythrocyte membrane, 137

Fouts, D.L., Ruef, B.J., Ridley, P.T., Wrightsman, R.A., Peterson, D. and Manning, J.E. Nucleotide sequence and transcription of a trypomastigote surface antigen gene of *Trypanosoma cruzi*, 189

Fox, B.A., see Li, W.-B., 229 Franklin, R.M., see Suetterlin, B.W., 113

Gajendran, N., see Liu, J., 53 Giroud, C., see Ou, Y.C., 97 Goman, M., see Günther, K., 149 Goossens, M., see Bretagne, S., 285

Gu, H., see Li, W.-B., 229

Günther, K., Türmmler, M., Arnold, H.-H., Ridley, R., Goman, M., Scaife, J.G. and Lingelbach, K. An exported protein of *Plasmod-ium falciparum* is synthesized as an integral membrane protein, 149

Hagan, P., see Jeffs, S.A., 159
Haghighat, N.G., see Ruben, L., 123
Hamers, R., see Liu, J., 53
Harnett, W., see Concarths, F.J., 103
Helm, R., see Bradley, J.E., 219
Hendrix, D., see Deleersnijder, W., 315
Hines, S.A., see Suarez, C.E., 45
Houin, R., see Bretagne, S., 285

Humphries, C.J., see Ali, P.O., 201
Hunter, K.J., Strobos, C.A.M. and Fairlamb, A.H. Inhibition of polyamine biosynthesis in Crithidia fasciculata by D,L-α-difluoromethylornithine and D,L-α-difluromethylarginine, 35

Inselburg, J., see Li, W.-B., 229 Ip, H.S., see Moreno, S.N.J., 265

Jacquet, D., see Liu, J., 53 Jarroll, E.L., see Van Keulen, H., 275 Jasmer, D.P., see Suarez, C.E., 45

Jeffs, S.A., Hagan, P., Allen, R., Correa-Oliveira, R., Smithers, S.R. and Simpson, A.J.G. Molecular cloning and characterisation of the 22-kilodalton adult Schistosoma mansoni antigen recognised by antibodies from mice protectively vaccinated with isolated tegumental surface membranes, 159

Jennings, M.W., see Robson, K.J.H., 19 Johnson, P.J., see Lahti, C.J., 307 Johnston, D.A., see Ali, P.O., 201

Jones, D.A.C., Riley, J., Kerby, N.W. and Knox, D.P. Isolation and preliminary characterization of a 48-kDa metalloproteinase from the excretory/secretory components of the frontal glands of *Poro*cephalus pentastomids, 61

Joshua, G.W.P., Chuang, R.Y., Cheng, S.C., Lin, S.F., Tuan, R.S. and Wang, C.C. The spliced leader gene of Angiostrongylus cantonensis 200 Kappes, B., see Suetterlin, B.W., 113

Kaslow, D.C., see Moelans, I.I.M.D., 311

Kelly, J.M., Law, J.M., Chapman, C.J., Van Eys, G.J.J.M. and Evans, D.A. Evidence of genetic recombination in Leishmania, 253

Kerby, N.W., see Jones, D.A.C., 61

Klaassen, C.H.W., see Moelans, I.I.M.D., 311

Knapp, B., see Nolte, D., 319

Knox, D.P., see Jones, D.A.C., 61

Konings, R.N.H., see Moelans, I.I.M.D., 311

Lahaise, M., see Bradley, J.E., 219

Lahti, C.J. and Johnson, P.J. Trichomonas vaginalis hydrogenosomal proteins are synthesized on free polyribosomes and may undergo processing upon maturation (Short communication), 307

Law, J.M., see Kelly, J.M., 253

Le Ray, D., see Liu, J., 53

Li, W.-B., Bzik, D.J., Tanaka, M., Gu, H., Fox, B.A. and Inselburg, J. Characterization of the gene encoding the largest subunit of Plasmodium falciparum RNA polymerase III, 229

Lin, S.F., see Joshua, G.W.P., 209

Lingelbach, K., see Günther, K., 149

Liu, J., Gajendran, N., Muthui, D., Muyldermans, S., Dujardin, J.-C., De Doncker, S., Jacquet, D., Le Ray, D., Mathieu-Daudé, F. and Hamers, R. Chromosome rearrangement in Leishmania mexicana M379,53

Maizels, R.M., see Bradley, J.E., 219

Manning, J.E., see Fouts, D.L., 189

Mathieu-Daude, F., see Liu, J., 53

McElwain, T.F., see Suarez, C.E., 45

McNeely, T., see Coburn, C.M., 169 Moelans, I.I.M.D., Klaassen, C.H.W., Kaslow, D.C., Konings, R.N.H. and Schoenmakers, J.G.G. Minimal variation in Pfs16, a novel protein located in the membrane of gametes and sporozoites

of Plasmodium falciparum (Short communication), 311 Moreno, S.N.J., Ip, H.S. and Cross, G.A.M. An mRNA-dependent in vitro translation system from Trypanosoma brucei, 265

Muthui, D., see Liu, J., 53

Muyldermans, S., see Liu, J., 53

Nolte, D. and Knapp, B. Partial sequences of three new asparaginerich blood stage proteins of Plasmodium falciparum (Short communication), 319

Ortega-Barria, E., see Rosenberg, I., 303

Otteman, K.M., see Coburn, C.M., 169

Ou, Y.C., Giroud, C. and Baltz, T. Kinetoplast DNA analysis of four Trypanosoma evansi strains, 97

Pagès, M., see Blaineau, C., 293

Palmer, G.H., see Suarez, C.E., 45

Parkhouse, R.M.E., see Conraths, F.J., 103

Parsons, M., see Alexander, K., 1

Pays, E., see Revelard, P., 241

Pereira, M.E.A., see Rosenberg, I., 303

Perlmann, P., see Ahlborg, N., 89

Perryman, L.E., see Suarez, C.E., 45

Peterson, D., see Fouts, D.L., 189 Preece, G., see Conraths, F.J., 103

Premawansa, S., see Alano, P., 81

Prioli, R.P., see Rosenberg, I., 303

Ranford-Cartwright, L.C., Balfe, P., Carter, R. and Walliker, D. Direct sequencing of enzymatically amplified DNA of alleles of the merozoite surface antigen MSA-1 gene form the malaria parasite Plasmodium falciparum (Short communication), 185

Revelard, P. and Pays, E. Structure and transcription of a P-ATPase gene from Trypanosoma brucei, 241

Ridgley, E.L., see Ruben, L., 123

Ridley, P.T., see Fouts, D.L., 189

Ridley, R., see Günther, K., 149

Riley, J., see Jones, D.A.C., 61

Rioux, J.-A., see Blaineau, C., 293

Robert, B., see Bretagne, S., 285

Robson, K.J.H. and Jennings, M.W. The structure of the calmodulin gene of Plasmodium falciparum, 19

Roizès, G., see Blaineau, C., 293

Rollinson, D., see Ali, P.O.O., 201

Rosenberg, I., Prioli, R.P., Ortega-Barria, E. and Pereira, M.E.A. Stage-specific phospholipase C-mediated release of Trypanosoma cruzi neuraminidase (Short communication), 303

Ruben, L., Ridgley, E.L., Haghighat, N.G. and Chan, E. Variant surface glycoprotein from Trypanosoma brucei clone YTat1.1 contains a latent calmodulin-binding domain, 123

Ruef, B.J., see Fouts, D.L., 189

Sauma, S.Y., Tanaka, T.M. and Strand, M. Selective release of a glycosylphosphatidylinositol-anchored antigen from the surface of Schistosoma mansoni, 73

Sawyer, W.H., see Foley, M., 137

Scaife, J.G., see Günther, K., 149

Schoenmakers, J.G.G., see Moelans, I.I.M.D., 311

Simpson, A.J.G., see Ali, P.O.O., 201

Simpson, A.J.G., see Jeffs, S.A., 159

Smithers, S.R., see Jeffs, S.A., 159 Strand, M., see Sauma, S.Y., 73

Strobos, C.A.M., see Hunter, K.J., 35

Suarez, C.E., Palmer, G.H., Jasmer, D.P., Hines, S.A., Perryman, L.E. and McElwain, T.F. Characterization of the gene encoding a 60-kilodalton Babesia bovis merozoite protein with conserved and surface exposed epitopes, 45

Suetterlin, B.W., Kappes, B. and Franklin, R.M. Localization and stage specific phosphorylation of Plasmodium falciparum phosphoproteins during the intraerythrocytic cycle, 113

Tanaka, M., see Li, W.-B., 229

Tanaka, T.M., see Sauma, S.Y., 73

Tielens, A.G.M., Van de Pas, F.A.M., Van den Heuvel, J.M. and Van den Bergh, S.G. The aerobic energy metabolism of Schistosoma mansoni miracidia (Short communication), 181

Tilley, L., see Foley, M., 137

Tuan, R.S., see Joshua, G.W.P., 209

Turco, S.J., see Coburn, C.M., 169

Tümmler, M., see Günther, K., 149

Van de Pas, F.A.M., see Tielens, A.G.M., 181

Van den Bergh, S.G., see Tielens, A.G.M., 181

Van den Heuvel, J.M., see Tielens, A.G.M., 181

Van Eys, G.J.J.M., see Kelly, J.M., 253

Van Keulen, H., Campbell, S.R., Erlandsen, S.L. and Jarroll, E.L. Cloning and restriction enzyme mapping of ribosomal DNA of Giardia duodenalis, Giardia ardeae and Giardia muris, 275

Vidaud, D., see Bretagne, S., 285

Walliker, D., see Ranford-Cartwright, L.C., 185

Wang, C.C., see Joshua, G.W.P., 209

Waters, A.P., see Ali, P.O.O., 201

Worms, M.J., see Conraths, F.J., 103 Wrightsman, R.A., see Fouts, D.L., 189

Subject Index

Aerobic energy metabolism, 181 Angiostrongylus cantonensis, 209 ATPase gene, 241

Babesia bovis, 45 Binding assay, 137

Circularisation, 53

Calmodulin binding, 123

Calmodulin, 19
cDNA library, 45
Chemotherapy, 73
Chromosomal rearrangement, 293
Chromosome mapping, 293
Chromosome rearrangement, 53
Circular extrachromosomal element, 53

Diagnosis, 219 α-Difluoromethylarginine, 35 α-Difluoromethylomithine, 35 DNA fingerprinting, 253 DNA sequence, 1 DNA sequence, 45 Drug/antibody synergy, 73

Echinococcus multilocularis, 285 Entamoeba histolytica, 11 Entamoeba moshkovskii, 11 Excretory-secretory component, 61 Expression, 159 Expression, 229

Gametocytogenesis, 81
Gene expression, 241
Gene structure, 19
Genetic exchange, 253
Genomic DNA cloning, 229
Giardia ardeae, 275
Giardia duodenalis, 275
Giardia duodenalis, 275
Glycophosphatidylinositol anchorage, 303
Glycosome, 1
Glycosylation, 265
Glycosylphosphatidylinositol anchored protein, 73

Homologous recombination, 1

Immunomodulation, 61 In vitro system, 265 Intracellular transport, 149

Leishmania mexicana M379, 53 Leishmania, 253 Leishmania, 293 Linearisation, 53 Malaria, 113 Membrane protein, 149 Microbody, 1 Miracidium, 181 Molecular cloning, 159

Nucleotide and amino acid sequence, 229

Onchocerciasis, 219

Pentastomid, 61 Phosphatidylinositol-specific phospholipase C, 73 Phosphoglycerate kinase, 1 Phospholipase C, 303 Phosphoprotein, 113 Phylogeny, 201 Plasmodium falciparum, 19, 81, 113, 137, 149, 229 Ploidy, 253 Polyamine, 35 Polymerase chain reaction, 11 Porocephalus clavatus, 61 Porocephalus crotali, 61 Praziquantel, 73 Protease, 61 Protective immunity, 159 Protein processing, 265 Protein purification, 61 Protein synthesis, 265 Protozoan parasite, 275 Pulsed field gel electrophoresis, 293

Recombinant peptide, 219 Recombinant protein, 45 Riboprinting, 11 Ribosomal RNA gene, 11, 275 Ring-infected erythrocyte surface antigen, 137 RNA polymerase III, 229 185 rRNA, 201

Schistosoma, 159
Schistosoma mansoni, 181, 201
Schistosomiasis, 73
Secretion, 149
Segment-specific antibodies, 149
Sexual differentiation, 81
Small subunit rRNA, 201
Species specificity, 159
Spectrin, 137
Spliced leader, 209
Stage specific transcription, 81
Surface antigen, 159
Surface exposed epitiopes, 45

Taxonomy, 11 Trans-splicing, 209 Transfection, 169
Trypanosoma brucei, 1, 123, 265
Trypanosoma cruzi, 189
Trypanosoma cruzi neuraminidase, 303
Trypanosomatid, 169
Trypanosomatid, 35
Trypanosome, 241

Trypanothione, 35 Trypomastigote surface antigen gene, 189

U1 snRNA gene, 285

Vaccine, 159 Variant surface glycoprotein, 123 Vector pR-NEO, 169

